

Jabra GN

EVOLVE2 85

Für Sie entwickelt: Das beste Headset für konzentriertes Arbeiten und produktive Zusammenarbeit.*

-  10-Mikrofon-Technologie
-  Integriertes Busylight mit 360°-Sichtbarkeit
-  Digitale Hybrid-Aktive-Geräuschunterdrückung (ANC)
-  Bis zu 37 Stunden Akkulaufzeit



TECHNISCHE SPEZIFIKATIONEN

Allgemein	Kartoninhalt	Headset, Ladestation (abhängig von der Artikelnummer), Jabra Link 380 BT-Adapter, 1,2 m USB-C auf USB-A-Kabel, 1,2-m Audiokabel für 3,5-mm-Buchse, Flugadapter, Reiseetui, Garantie- und Warnhinweise (Sicherheitshinweise)	
	Verpackungsmaße (L x B x H)	Einzel-Artikelnummer: 22,7 x 18,85 x 7,3 cm Paket-Artikelnummer: 22,7 x 18,85 x 9,2 cm	
	Maße der Zentraleinheit	198,6 x 160,0 x 77,3 mm	
	Gewicht inkl. der Haupttragevariante	286 g	
	Verwendete Materialien	Überkopfbügel aus ultraweichem Schaumstoff, mit farblich abgestimmtem Kunstlederbezug, Ohrkissen aus weichem Schaumstoff und farblich abgestimmtem Kunstlederbezug	
	Akkutyp	Wiederaufladbarer Lithium-Ionen-Akku	
	Garantie	2 Jahre	
	Jabra Direct/Jabra Xpress	Ja	
	Jabra Sound+	Ja	
	LED-Leistungsmerkmale und -Funktionen	Microsoft Teams-Benachrichtigungen**, Busylight, eingehende Anrufe	
Audio	Aktive Geräuschunterdrückung	4 Mikrofone mit digitaler Hybrid-Aktive-Geräuschunterdrückung (ANC)	
	Größe der Lautsprecher	40 mm Ø	
	Lautsprecherempfindlichkeit	117 dB @1 mW-1 kHz	
	Maximale Eingangsleistung des Lautsprechers	50 mW	
	Lautsprecher-Frequenzbereich	20 Hz-20.000 Hz	
	Bandbreite des Lautsprechers - Musikmodus	20 Hz-20.000 Hz	
	Bandbreite des Lautsprechers - Sprachmodus	100 Hz-8.000 Hz	
	Mikrofontyp	4 analoge MEMS/6 digitale MEMS	
	Mikrofonempfindlichkeit	-35 dBv/Pa (analoges Mikrofon)/-26 dBFS/Pa (digitales Mikrofon)	
	Mikrofon-Frequenzbereich	5 Hz-20.000 Hz (analoges Mikrofon)/100 Hz-8.000 Hz (digitales Mikrofon)	
Unterstützte Audio-Codecs	SBC, AAC		
Gehörschutz für Nutzer	Jabra SafeTone™		
Zertifizierungen	Mit Plattformen führender UC-Anbieter kompatibel; erfüllt die Anforderungen von Microsoft Teams Open Office**		
Passform & Tragekomfort	Headset-Formfaktor	Überkopfbügel, ohrumschließend	
	Akku	Musikwiedergabe Bis zu 37 Stunden (ANC ausgeschaltet), bis zu 32 Stunden (ANC angeschaltet)	
Passform & Tragekomfort	Gesprächszeit	Bis zu 26 Stunden (ANC/Busylight ausgeschaltet), bis zu 21 Stunden (ANC/Busylight angeschaltet)	
	Ladedauer	Bis zu 140 Minuten	
	Stromverbrauch	5 V/500 mA	
	Akkustatus in % nach 30 Minuten/ 60 Minuten	30 % nach 30 Minuten und 60 % nach 60 Minuten	
	Konnektivität	Verbindung (Computer und mobile Endgeräte)	USB-A/USB-C-Bluetooth-Adapter, 3,5-mm-Buchse (schnurgebunden), Bluetooth
		Bluetooth®-Endgeräte	Ja
Bluetooth-Version		Bluetooth 5.0	
Bluetooth-Profile		HSP V1.2, HFP V1.7, A2DP V1.3, AVRCP V1.6, PBAP V1.1, SPP V1.2	
Reichweite		Bis zu 30 m	
Bluetooth-Pairing-Liste		Bis zu 8 Endgeräte	
Gleichzeitige Bluetooth-Verbindungen		2	
Weitere Informationen	Betriebstemperatur	-10 °C bis +45 °C	
	Lagertemperatur	-5 °C bis +45 °C	

 * Siehe Fakten unter jabra.com/de/commercial-claims

** Nur Microsoft Teams-Varianten

PRODUKTTYP	ARTIKELNUMMER	BESCHREIBUNG	EAN-CODE	UPC-CODE	
Stereo	28599-989-999	Evolve2 85, Link 380a UC Stereo Schwarz	5706991023237	706487020486	
	28599-989-998	Evolve2 85, Link 380a UC Stereo Beige	5706991023220	706487020479	
	28599-989-899	Evolve2 85, Link 380c UC Stereo Schwarz	5706991023190	706487020448	
	28599-989-898	Evolve2 85, Link 380c UC Stereo Beige	5706991023183	706487020431	
	28599-999-999	Evolve2 85, Link 380a MS Stereo Schwarz	5706991023312	706487020561	
	28599-999-998	Evolve2 85, Link 380a MS Stereo Beige	5706991023305	706487020554	
	28599-999-899	Evolve2 85, Link 380c MS Stereo Schwarz	5706991023275	706487020523	
	28599-999-898	Evolve2 85, Link 380c MS Stereo Beige	5706991023268	706487020516	
	28599-989-989	Evolve2 85, Link 380a UC Stereo Ladestation Schwarz	5706991023213	706487020462	
	28599-989-988	Evolve2 85, Link 380a UC Stereo Ladestation Beige	5706991023206	706487020455	
	28599-989-889	Evolve2 85, Link 380c UC Stereo Ladestation Schwarz	5706991023176	706487020424	
	28599-989-888	Evolve2 85, Link 380c UC Stereo Ladestation Beige	5706991023169	706487020417	
	28599-999-889	Evolve2 85, Link 380c MS Stereo Ladestation Schwarz	5706991023251	706487020509	
	28599-999-888	Evolve2 85, Link 380c MS Stereo Ladestation Beige	5706991023244	706487020493	
	28599-999-989	Evolve2 85, Link 380a MS Stereo Ladestation Schwarz	5706991023299	706487020547	
	28599-999-988	Evolve2 85, Link 380a MS Stereo Ladestation Beige	5706991023282	706487020530	
	Zubehör	14207-65	Evolve2 85 Ladestation USB-A Schwarz	5706991023121	706487020370
		14207-66	Evolve2 85 Ladestation USB-C Schwarz	5706991023138	706487020387
14207-67		Evolve2 85 Ladestation USB-A Beige	5706991023145	706487020394	
14207-68		Evolve2 85 Ladestation USB-C Beige	5706991023152	706487020400	
14101-79		Evolve2 85 Ohrkissen, Schwarz, 1 Paar	5706991023589	706487020790	
14101-80		Evolve2 85 Ohrkissen, Beige, 1 Paar	5706991023596	706487020806	
14301-50		Evolve2 85 Reiseetui, Schwarz, 1 Stück	5706991023602	706487020813	
14301-51		Evolve2 85 Reiseetui, Beige, 1 Stück	5706991023619	706487020820	
14208-26		Link 380a, UC, USB-A BT-Adapter	5706991022537	706487019763	
14208-24		Link 380a, MS, USB-A BT-Adapter	5706991022339	706487019664	
14208-25		Link 380c, UC, USB-C BT-Adapter	5706991022520	706487019756	
14208-22		Link 380c, MS, USB-C BT-Adapter	5706991022278	706487019572	
14208-31		Evolve2 USB-Kabel, USB-A auf USB-C 1,2 m, Schwarz	5706991023329	706487020578	
14208-33		Evolve2 USB-Kabel, USB-A auf USB-C 1,2 m, Beige	5706991023343	706487020592	
14208-32		Evolve2 USB-Kabel, USB-C auf USB-C 1,2 m, Schwarz	5706991023336	706487020585	
14208-34		Evolve2 USB-Kabel, USB-C auf USB-C 1,2 m, Beige	5706991023350	706487020608	

Jabra GN

EVOLVE2 65

Für Sie entwickelt: Ihr schnurloses Headset für das mobile Arbeiten – mit herausragendem Sound. – mit herausragendem Sound.

-  3-Mikrofon-Anruftechnologie
-  Geräuschisolierendes Design
-  Bis zu 37 Stunden Akkulaufzeit
-  Integriertes Busylight mit 360°-Sichtbarkeit


TECHNISCHE SPEZIFIKATIONEN

Allgemein	Kartoninhalt	Headset, Ladestation (abhängig von der Artikelnummer), Jabra Link 380 BT-Adapter, 1,2 m USB-C auf USB-A-Kabel, Reiseetui, Garantie- und Warnhinweise (Sicherheitshinweise)
	Verpackungsmaße (L x B x H)	Einzel-Artikelnummer: 18,85 x 5,3 x 21,7 cm Paket-Artikelnummer: 18,85 x 10,35 x 25 cm
	Maße der Zentraleinheit	Stereo 186 x 157 x 60,5 mm Mono 150 x 157 x 60,5 mm
	Gewicht inkl. der Haupttragevariante	Stereo 176,4 g Mono 99,2 g
	Verwendete Materialien	Überkopfbügel aus ultraweichem Schaumstoff, mit farblich abgestimmtem Silikonbezug, Ohrkissen aus weichem Schaumstoff und farblich abgestimmtem Kunstlederbezug, Schiebvorrichtung aus Aluminium
	Akkutyp	Wiederaufladbarer Lithium-Ionen-Akku
	Garantie	2 Jahre
	Jabra Direct/Xpress	Ja
	Jabra Sound+	Ja
	LED-Leistungsmerkmale und -Funktionen	Microsoft Teams-Benachrichtigungen*, Busylight, eingehende Anrufe
Audio	Aktive Geräuschunterdrückung	nicht zutreffend
	Größe der Lautsprecher	40 mm Ø
	Lautsprecherempfindlichkeit	117 dB @1 mW-1 kHz
	Maximale Eingangsleistung des Lautsprechers	30 mW
	Lautsprecher-Frequenzbereich	20 Hz-20.000 Hz
	Bandbreite des Lautsprechers - Musikmodus	20 Hz-20.000 Hz
	Bandbreite des Lautsprechers - Sprachmodus	100 Hz-8.000 Hz
	Mikrofontyp	3 digitale MEMS
	Mikrofonempfindlichkeit	- 26 dBFS/Pa
	Mikrofon-Frequenzbereich	100 Hz-8.000 Hz
Unterstützte Audio-Codexs	SBC	
Gehörschutz für Nutzer	Jabra SafeTone™	
Zertifizierungen	Mit Plattformen führender UC-Anbieter kompatibel; erfüllt die Anforderungen von Microsoft Teams Open Office*	
Passform & Tragekomfort	Headset-Formfaktor	Überkopfbügel, ohrauflegend
Akku	Musikwiedergabe	Bis zu 37 Stunden
	Gesprächszeit	Bis zu 35 Stunden (Busylight ausgeschaltet), bis zu 24 Stunden (Busylight angeschaltet)
	Ladedauer	Bis zu 90 Minuten
	Stromverbrauch	5 V/500 mA
	Akkustatus in % nach 30 Minuten/ 60 Minuten	40 % nach 30 Minuten und 80 % nach 60 Minuten
Konnektivität	Verbindung (Computer und mobile Endgeräte)	USB-A/USB-C-Bluetooth-Adapter, Bluetooth
	Bluetooth®-Endgeräte	Ja
	Bluetooth-Version	Bluetooth 5.0
	Bluetooth-Profile	HSP V1.2, HFP V1.7, A2DP V1.3, AVRCP V1.6, PBAP V1.1, SPP V1.2
	Reichweite	Bis zu 30 m
	Bluetooth-Pairing-Liste	Bis zu 8 Endgeräte
	Gleichzeitige Bluetooth-Verbindungen	2
Weitere Informationen	Betriebstemperatur	-10 °C bis +45 °C
	Lagertemperatur	-5 °C bis +45 °C


* Nur Microsoft Teams-Varianten

PRODUKTTYP	ARTIKELNUMMER	BESCHREIBUNG	EAN-CODE	UPC-CODE
Stereo	26599-989-999	Evolve2 65, Link 380a UC Stereo Schwarz	5706991022889	706487020134
	26599-989-998	Evolve2 65, Link 380a UC Stereo Beige	5706991022896	706487020141
	26599-989-899	Evolve2 65, Link 380c UC Stereo Schwarz	5706991022926	706487020172
	26599-989-898	Evolve2 65, Link 380c UC Stereo Beige	5706991022933	706487020189
	26599-999-999	Evolve2 65, Link 380a MS Stereo Schwarz	5706991022803	706487020059
	26599-999-998	Evolve2 65, Link 380a MS Stereo Beige	5706991022810	706487020066
	26599-999-899	Evolve2 65, Link 380c MS Stereo Schwarz	5706991022841	706487020097
	26599-999-898	Evolve2 65, Link 380c MS Stereo Beige	5706991022858	706487020103
	26599-989-989	Evolve2 65, Link 380a UC Stereo Ladestation Schwarz	5706991022902	706487020158
	26599-989-988	Evolve2 65, Link 380a UC Stereo Ladestation Beige	5706991022919	706487020165
	26599-989-889	Evolve2 65, Link 380c UC Stereo Ladestation Schwarz	5706991022940	706487020196
	26599-989-888	Evolve2 65, Link 380c UC Stereo Ladestation Beige	5706991022957	706487020202
	26599-999-989	Evolve2 65, Link 380a MS Stereo Ladestation Schwarz	5706991022827	706487020073
	26599-999-988	Evolve2 65, Link 380a MS Stereo Ladestation Beige	5706991022834	706487020080
	26599-999-889	Evolve2 65, Link 380c MS Stereo Ladestation Schwarz	5706991022865	706487020110
	26599-999-888	Evolve2 65, Link 380c MS Stereo Ladestation Beige	5706991022872	706487020127
	Mono	26599-889-999	Evolve2 65, Link 380a UC Mono Schwarz	5706991023046
26599-889-998		Evolve2 65, Link 380a UC Mono Beige	5706991023053	706487020301
26599-889-898		Evolve2 65, Link 380c UC Mono Beige	5706991023091	706487020349
26599-889-899		Evolve2 65, Link 380c UC Mono Schwarz	5706991023084	706487020332
26599-899-999		Evolve2 65, Link 380a MS Mono Schwarz	5706991022964	706487020219
26599-899-998		Evolve2 65, Link 380a MS Mono Beige	5706991022971	706487020226
26599-899-899		Evolve2 65, Link 380c MS Mono Schwarz	5706991023008	706487020257
26599-899-898		Evolve2 65, Link 380c MS Mono Beige	5706991023015	706487020264
26599-889-989		Evolve2 65, Link 380a UC Mono Ladestation Schwarz	5706991023060	706487020318
26599-889-988		Evolve2 65, Link 380a UC Mono Ladestation Beige	5706991023077	706487020325
26599-889-889		Evolve2 65, Link 380c UC Mono Ladestation Schwarz	5706991023107	706487020356
26599-889-888		Evolve2 65, Link 380c UC Mono Ladestation Beige	5706991023114	706487020363
26599-899-989		Evolve2 65, Link 380a MS Mono Ladestation Schwarz	5706991022988	706487020233
26599-899-988		Evolve2 65, Link 380a MS Mono Ladestation Beige	5706991022995	706487020240
26599-899-888		Evolve2 65, Link 380c MS Mono Ladestation Beige	5706991023039	706487020288
26599-899-889		Evolve2 65, Link 380c MS Mono Ladestation Schwarz	5706991023022	706487020271
Zubehör		14208-26	Link 380a, UC, USB-A BT-Adapter	5706991022537
	14208-24	Link 380a, MS, USB-A BT-Adapter	5706991022339	706487019664
	14208-25	Link 380c, UC, USB-C BT-Adapter	5706991022520	706487019756
	14208-22	Link 380c, MS, USB-C BT-Adapter	5706991022278	706487019572
	14208-31	Evolve2 USB-Kabel, USB-A auf USB-C 1,2 m, Schwarz	5706991023329	706487020578
	14208-33	Evolve2 USB-Kabel, USB-A auf USB-C 1,2 m, Beige	5706991023343	706487020592
	14208-32	Evolve2 USB-Kabel, USB-C auf USB-C 1,2 m, Schwarz	5706991023336	706487020585
	14208-34	Evolve2 USB-Kabel, USB-C auf USB-C 1,2 m, Beige	5706991023350	706487020608
	14207-55	Evolve2 65 Ladestation USB-A Schwarz	5706991022285	706487019589
	14207-61	Evolve2 65 Ladestation USB-A Beige	5706991022698	706487019947
	14207-62	Evolve2 65 Ladestation USB-C Beige	5706991022704	706487019954
	14207-63	Evolve2 65 Ladestation USB-C Schwarz	5706991022711	706487019961
	14301-48	Evolve2 65 Reiseetui, 10 Stück	5706991023367	706487020615
	14101-77	Ohrkissen für Evolve2 65/40, 6 Stück, Schwarz	5706991023374	706487020622
	14101-78	Ohrkissen für Evolve2 65, 6 Stück, Beige	5706991023381	706487020639


Jabra GN


EVOLVE2 40

Für Sie entwickelt: Ihr Headset für konzentriertes Arbeiten. Herausragender Sound, überragende Geräuschisolierung, höchster Tragekomfort.

 3-Mikrofon-Anruftechnologie

 Geräuschisolierendes Design

 Als USB-A- und USB-C-Varianten verfügbar

 Integriertes Busylight mit 360°-Sichtbarkeit



TECHNISCHE SPEZIFIKATIONEN

Allgemein	Kartoninhalt	Headset, Reiseetui, Garantie- und Warnhinweise (Sicherheitshinweise)
	Verpackungsmaße (L x B x H)	5,5 x 18,85 x 21,7 cm
	Maße der Zentraleinheit	Stereo 186 x 157 x 60,5 mm Mono 150 x 157 x 60,5 mm
	Gewicht inkl. der Haupttragevariante	Stereo mit Kabel 188 g, Stereo ohne Kabel 168,5 g Mono mit Kabel 113 g, Mono ohne Kabel 88,6 g
	Verwendete Materialien	Überkopfbügel aus ultraweichem Schaumstoff, mit farblich abgestimmtem Silikonbezug, Ohrkissen aus weichem Schaumstoff und farblich abgestimmtem Kunstlederbezug, Schiebvorrichtung aus Aluminium
	Garantie	2 Jahre
	Jabra Direct/Jabra Xpress	Ja
Jabra Sound+	Nein	
LED-Leistungsmerkmale und -Funktionen	Microsoft Teams-Benachrichtigungen*, Busylight, eingehende Anrufe	
Audio	Größe der Lautsprecher	40 mm Ø
	Lautsprecherempfindlichkeit	117 dB @1 mW-1 kHz
	Maximale Eingangsleistung des Lautsprechers	30 mW
	Lautsprecher-Frequenzbereich	20 Hz-20.000 Hz
	Bandbreite des Lautsprechers - Musikmodus	20 Hz-20.000 Hz
	Bandbreite des Lautsprechers - Sprachmodus	100 Hz-14.000 Hz
	Mikrofontyp	3 digitale MEMS
	Mikrofonempfindlichkeit	- 26 dBFS/Pa
	Mikrofon-Frequenzbereich	100 Hz-14.000 Hz
	Gehörschutz für Nutzer	Jabra SafeTone™
Zertifizierungen	Mit Plattformen führender UC-Anbieter kompatibel; erfüllt die Anforderungen von Microsoft Teams Open Office*	
Passform & Tragekomfort	Headset-Formfaktor	Überkopfbügel, ohrauflegend
Konnektivität	Verbindung (Computer und mobile Endgeräte)	USB-A/USB-C
Weitere Informationen	Betriebstemperatur	-10 °C bis +55 °C
	Lagertemperatur	-5 °C bis +55 °C





PRODUKTTYP	ARTIKELNUMMER	BESCHREIBUNG	EAN-CODE	UPC-CODE
Stereo	24089-989-999	Evolve2 40 USB-A UC Stereo	5706991022773	706487020028
	24089-989-899	Evolve2 40 USB-C UC Stereo	5706991022766	706487020011
	24089-999-999	Evolve2 40 USB-A MS Stereo	5706991022797	706487020042
	24089-999-899	Evolve2 40 USB-C MS Stereo	5706991022780	706487020035
Mono	24089-889-999	Evolve2 40 USB-A UC Mono	5706991022735	706487019985
	24089-889-899	Evolve2 40 USB-C UC Mono	5706991022728	706487019978
	24089-899-999	Evolve2 40 USB-A MS Mono	5706991022759	706487020004
	24089-899-899	Evolve2 40 USB-C MS Mono	5706991022742	706487019992
Zubehör	14101-77	Ohrkissen für Evolve2 65/40, 6 Stück, Schwarz	5706991023374	706487020622
	14301-49	Evolve2 40 Reiseetui, 10 Stück, Schwarz	5706991023398	706487020646

* Nur Microsoft Teams-Varianten



EVOLVE 75

Engineered to free your concentration.
Professional wireless headset for
freedom in the open office.

-  World-class speakers and HD voice
-  Up to 30m/100ft wireless range
-  Superior Active Noise Cancellation and integrated busylight
-  Up to 18 hours battery life



TECHNICAL SPECIFICATIONS

General info	Box content	Headset, charging stand*, Jabra Link 370 Bluetooth adapter, protective travel case, USB cord (allowing for use while charging), documentation
	Packaging dimensions LxWxH	Headset: 188x214.5x61 mm / 7.4x8.4x2.4 in Charging stand: 109.5x143x98 mm / 4.3x5.6x3.8 in Bundle: 193x245x(125-76) mm / 7.6x9.6x(4.9-2.9) in
	Main unit dimension	Stereo: 155x64.5x184.5 mm / 6.1x2.5x7.3 in
	Weight incl main wearing style	177g / 6.25oz
	Material used	Headband cushion ultra soft foam covered in color-matched silicone, ear cushion soft audio foam covered in black leatherette
	Battery type	Rechargeable lithium ion battery
	Warranty	2 years from the date the products have been purchased
Audio	Jabra Direct/Xpress	Yes
	Jabra Sound+ app	No
	LED features and functions	Integrated red lights on both ear cups are activated automatically when on a call or manually activated by the user when busy, to act as a 'do not disturb' sign
	Active Noise Cancellation	Yes – Hybrid 4 mic ensuring 17dB (perceived cancellation in an office environment)
	Passive Noise Cancellation	Yes
	Listen-in feature	Don't miss important announcements or questions from your colleagues. Press the left ear cup to hear the outside world without having to take off your headset.
	Speaker size	40mm Ø
	Speaker sensitivity	117dB @1mW-1kHz
	Speaker max input power	30 mW
	Speaker frequency range	20Hz-20.000Hz
	Speaker bandwidth – music mode	20Hz-20.000Hz
	Speaker bandwidth – speak mode	150Hz-6.800Hz
	Microphone type	Medium-length boom arm with noise cancelling uni-directional ECM microphone
	Microphone sensitivity	-17dBFS / Pa
	Microphone frequency range	100Hz-10.000Hz
Audio codecs supported	SBC	
User hearing protection	Jabra SafeTone™	
Certifications	Regulatory approvals: CE, FCC ID, IC ID KCC, RCM, NCC, TELEC, SRRC Industrial certifications: Microsoft Teams**, Avaya, Cisco and more	
Fit & Comfort	Headset form factor	On-ear headband
Battery	Talk time	Up to 18hours (with ANC and busylight off) Up to 14 hours (with ANC on and busylight off)
	Music time	Up to 17hours (with ANC off) Up to 13hours (with ANC on)
	Charging time	Up to 120min
	Standby time	Up to 15 days
Connectivity	Connection (computer and mobile devices)	USB-A Bluetooth adapter, Bluetooth
	Bluetooth device	Yes
	Bluetooth version	Bluetooth 4.2, Class 1
	Bluetooth profiles	A2DP (v1.2), Hands Free Profile (v1.6), Headset Profile (v1.2), AGHFP (v1.6)
	Operating range	Up to 30m / Up to 100ft
	Bluetooth pairing list	Up to 8 devices
	Simultaneous Bluetooth connections	2

* To purchase separately or with SKU on next page ** Microsoft Teams variants only

PRODUCT TYPE	SKU	DESCRIPTION	EAN CODE
Stereo	7599-832-109	Evolve 75 MS Stereo, Link 370	5706991020083
	7599-838-109	Evolve 75 UC Stereo, Link 370	5706991020090
	7599-832-109	Evolve 75 incl. charging stand MS Stereo, Link 370	5706991020717
	7599-838-199	Evolve 75 incl. charging stand UC Stereo, Link 370	5706991020700
Accessory	14207-40	Charging stand for Evolve 75	5706991020328



EVOLVE 80

Engineered to help you concentrate.
Professional corded headset to boost your focus in the open office.



Superior Active Noise Cancellation (ANC)



UC and Microsoft Teams certified variants available



Built-in busylight



Flexible connectivity – USB-A, USB-C or 3.5mm jack



TECHNICAL SPECIFICATIONS

General info	Box content	Headset, USB-A or USB-C controller, poly bag for controller, soft pouch and documentation
	Packaging dimensions LxWxH	Headset: 215x215x55 mm/8.46x8.46x2.16 in
	Weight including main wearing style	Stereo headset: 646 g/22.78 oz
	Material used	Headband cushion ultra soft foam covered in color-matched silicone and ear cushion soft audio foam covered in black leatherette
	Warranty	2 years
	Jabra Direct/Jabra Xpress	Yes
	LED features and functions	Integrated red lights on both ear cups are activated automatically when on a call or manually activated by the user when busy, to act as a 'do not disturb' sign
Audio	Active Noise Cancellation	Yes
	Listen-in	Yes - Press the left earcup to hear the outside world without having to take off your headset
	Speaker size	40Ø x8.8mm
	Speaker sensitivity	124±3dB at 1mW/1KHz with IEC-318 coupler
	Speaker impedance	38Ω±10% at 1KHz
	Speaker max input power	Maximum:30mW (1.07V) Rated Input Power:10mW (0.62V)
	Speaker bandwidth – music mode	20Hz-20.000Hz
	Speaker bandwidth – speak mode	150Hz-7.000Hz
	Microphone type	Electret Condenser (ECM) Uni-Directional Microphone
	Microphone sensitivity	Frequency 1kHz Input 0 dB Pa Min: -35 dB V/Pa, Max: -31 dB V/Pa
	Microphone frequency range bandwidth	150 Hz to 7.000Hz
User hearing protection	Jabra SafeTone™	
Certifications	Regulatory approvals: CE, FCC, KCC, RCM, UL Industrial certifications: Microsoft Teams*, Avaya, Cisco and more	
Fit & Comfort	Headset form factor	Over-ear headband
Ease of use	Discrete hidden boom arm	Boom arm with magnet that integrates into the headset when not on calls
	Busylight	Integrated red lights on both ear cups are activated automatically when on a call or manually activated by the user when busy, to act as a 'do not disturb' sign
	Call management	In-line call control unit for easy call management
Battery	Battery included	Yes
	Charging time	Max 120 minutes
	Power consumption speaker	Maximum: 30mW (1.07V) Rated Input Power: 10mW (0.62V)
Connectivity	Connection (computer and mobile devices)	USB 2.0/3.0, USB-A/USB-C, 3.5mm jack
	USB cord length	Control cable: 95cm/Headset cable: 120cm
Extended Info	Operating temperature	-10°C to +50°C, 14°F to 122°F
	Storage temperature	-30°C to +80°C storage temperature range: (-20°C to +35°C 6 months), (+35°C to +45°C 3 months), (+45°C to +45°C 1 month), (+60°C to +70°C 1 hour with no degradation), (+70°C to +85°C max. 1 hour (<20% degradation)

* Microsoft Teams variants only

Evolve 80 Techsheet 010920

PRODUCT	SKU	DESCRIPTION	EAN CODE
Stereo	7899-829-209	Jabra Evolve 80 UC, Stereo, USB-A	5706991017106
	7899-829-289	Jabra Evolve 80 UC, Stereo, USB-C	5706991022063
	7899-823-109	Jabra Evolve 80 MS, Stereo, USB-A	5706991017090
	7899-823-189	Jabra Evolve 80 MS, Stereo, USB-C	5706991022056



EVOLVE 65

Engineered for multi-tasking.
Professional wireless headset
with dual connectivity.

-  Integrated Busylight
-  Dual Bluetooth connectivity
-  Up to 14 hours battery life
-  Up to 30m/100ft wireless range



TECHNICAL SPECIFICATIONS

General info	Box content	Headset, charging stand (SKU dependent*), Jabra Link 370 Bluetooth adapter, neoprene pouch and documentation
	Packaging dimensions LxWxH	Non-Bundle SKU: 17.6x5.1x20.6 cm / 6.69x1.96x7.87 in Bundle SKU: 18.5x9.60x21.20 cm / 7.08x3.54x8.26 in
	Main unit dimension	Stereo 186x157x60.5 mm / 7.32x6.18x2.38 in Mono 150x157x60.5 mm / 5.9x6.18x2.38 in
	Weight incl main wearing style	Mono 282 g / 111.02 oz Stereo 310 g / 122.04 oz
	Material used	Headband cushion ultra soft foam covered in color-matched silicone, ear cushion soft audio foam covered in black leatherette, aluminium slider arm
	Battery type	Rechargeable lithium ion battery
	Warranty	2 years
	Jabra Direct/Xpress	Yes
	Jabra Sound+	No
	LED features and functions	Busylight, incoming call
Audio	Active Noise Cancellation	N/A
	DECT device	N/A
	Speaker size	28mm Ø
	Speaker sensitivity	93.6dB SPL @1kHz
	Speaker max input power	10mW @0.56V
	Speaker frequency range	150Hz-7.000Hz
	Speaker bandwidth – music mode	20Hz-20.000Hz
	Speaker bandwidth – speak mode	150Hz-6.800Hz
	Microphone type	Noise cancelling uni-directional ECM microphone
	Microphone sensitivity	-17dBFS/Pa
	Microphone frequency range	100Hz to 10kHz
	Audio codecs supported	SBC
	User hearing protection	Jabra SafeTone™
Certifications	Regulatory Approvals: CE, FCC ID, IC ID KCC, RCM, NCC, TELEC, SRRC Industrial Certifications: Microsoft Teams**, Avaya, Cisco and more	
Fit & Comfort	Headset form factor	On-ear headband
Battery	Talk time	Up to 7 hours
	Music time	Up to 14 hours
	Charging time	Up to 120min
	Power consumption	5V/500mA
	Standby time	Up to 15 days
Connectivity	Connection (computer and mobile devices)	USB-A Bluetooth adapter, Bluetooth
	Bluetooth device	Yes
	Bluetooth version	Bluetooth 4.0
	Bluetooth profiles	A2DP (v1.2), Hands Free Profile (v1.6), Headset Profile (v1.2), AGHFP (v1.6)
	Operating range	Up to 30m/Up to 100ft (BT class 1)
	Bluetooth pairing list	Up to 8 devices
Simultaneous Bluetooth connections	1	
Extended Info	Operating temperature	-10°C to +50°C, 14°F to 122°F
	Storage temperature	-5°C to +45°C, 23°F to 113°F

PRODUCT TYPE	SKU	DESCRIPTION	EAN CODE
Stereo	6599-823-309	Evolve 65 MS Stereo, Link 370	5706991017144
	6599-829-409	Evolve 65 UC Stereo, Link 370	5706991017151
	6599-823-399	Evolve 65 incl. charging stand MS Stereo, Link 370	5706991020663
	6599-823-499	Evolve 65 incl. charging stand UC Stereo, Link 370	5706991020670
Mono	6593-823-309	Evolve 65 MS Mono, Link 370	5706991017168
	6593-829-409	Evolve 65 UC Mono, Link 370	5706991017175
	6593-823-399	Evolve 65 incl. charging stand MS Mono, Link 370	5706991020687
	6593-823-499	Evolve 65 incl. charging stand UC Mono, Link 370	5706991020694
Accessory	14207-39	Charging stand for Evolve 65	5706991020311







EVOLVE 40

Engineered to boost efficiency.

Professional corded headset.

Enhanced productivity.

-  Noise-cancelling microphone
-  Intuitive call control unit
-  Integrated busylight
-  Flexible connectivity



TECHNICAL SPECIFICATIONS

General info	Box content	Headset, Neoprene pouch and documentation
	Packaging dimensions LxWxH	Mono/Stereo: 19x1x25,5 cm / 7,48x0,4x9,84 in
	Main unit dimension	Mono: 15.5x5.9x18,1 cm / 5.9x1.9x7.08 in Stereo: 15.5x5.9x18.09 cm / 5.9x1.9x7.08 in
	Weight incl main wearing style	Mono headset: 143 g / 5.044 oz Stereo headset: 171 g / 6.03 oz
	Material used	Headband cushion ultra soft foam covered in color-matched silicone, ear cushion soft audio foam covered in black leatherette
	Warranty	2 years
	Jabra Direct/Jabra Xpress	Yes
	Jabra Sound+	No
Audio	LED features and functions	Yes
	Speaker size	28mm Ø
	Speaker sensitivity	93.6dB
	Speaker impedance	32+ / -4.8Ω
	Speaker bandwidth – music mode	20Hz-20.000Hz
	Speaker bandwidth – speak mode	150Hz-7.000Hz
	Microphone type	Noise cancelling unidirectional microphone
	Microphone frequency range	100Hz-10.000Hz
Fit & Comfort	User hearing protection	Jabra SafeTone™
	Certifications	Regulatory approvals: CE, FCC, KCC, RCM Industrial certifications: Microsoft Teams*, Avaya, Cisco and more
Ease of use	Headset form factor	On-ear headband
	Discrete hidden boom arm	Boom arm with magnet that integrates into the headset when not on calls
Connectivity	Busylight	Integrated red lights on both ear cups are activated automatically when on a call or manually activated by the user when busy, to act as a 'do not disturb' sign
	Call management	In-line call control unit for easy call management
	Connection (computer and mobile devices)	USB 2.0 / 3.0, USB-A / USB-C, 3.5mm jack
Extended Info	USB cord length	Control cable: 95 cm / headset cable: 120 cm
	Operating temperature	-10°C to +50°C / 14°F to 122°F
	Storage temperature	-5°C to +45°C / 23°F to 113°F

PRODUCT	SKU	DESCRIPTION	EAN CODE
Stereo	6399-829-209	Evolve 40 UC Stereo, USB-A	5706991017021
	6399-829-289	Evolve 40 UC, Stereo, USB-C	5706991021554
	6399-823-109	Evolve 40 MS Stereo, USB-A	5706991017014
	6399-823-189	Evolve 40 MS, Stereo, USB-C	5706991021547
Mono	6393-829-209	Evolve 40 UC Mono, USB-A	5706991017045
	6393-829-289	Evolve 40 UC, Mono, USB-C	5706991021530
	6393-823-109	Evolve 40 MS Mono, USB-A	5706991020960
	6393-823-189	Evolve 40 MS, Mono, USB-C	5706991021523

* Microsoft Teams variants only

Evolve 40 Techsheet A4 140920